



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK SEZIONE Z/SPZ



Materiale: Ghisa

P	α°	a	b	c	d	e	f	h
mm		mm	mm	mm	mm	mm	mm	mm
≤ 80	34	9.7	8.5	8.0	12.0	8.0	2.0	11.0
> 80	38							



P	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
PRIMITIVO					mm	mm	mm	mm	mm	mm	mm	mm	
50	1	1008	25	9	54	-	37	26	12	25	-	-	TLSPZ50X1
50	2	1008	25	9	54	-	50	26	25	25	-	-	TLSPZ50X2
56	1	1008	25	9	60	-	37	32	12	25	-	-	TLSPZ56X1
56	2	1008	25	9	60	-	49	32	27	22	-	-	TLSPZ56X2
60	1	1008	25	1	64	-	22	-	-	22	-	-	TLSPZ60X1
60	2	1108	28	9	64	-	49	36	27	22	-	-	TLSPZ60X2
63	1	1108	28	1	67	-	16	-	-	22	6	56	TLSPZ63X1
63	2	1108	28	8	67	-	28	40	6	22	-	-	TLSPZ63X2
63	3	1108	28	8	67	-	40	40	-	22	-	-	TLSPZ63X3
67	1	1108	28	1	71	-	16	-	-	22	6	60	TLSPZ67X1
67	2	1108	28	8	71	-	28	42	6	22	-	-	TLSPZ67X2
67	3	1108	28	8	71	-	40	42	18	22	-	-	TLSPZ67X3
71	1	1108	28	1	75	-	16	-	-	22	6	60	TLSPZ71X1
71	2	1108	28	8	75	-	28	42	6	22	-	-	TLSPZ71X2
71	3	1108	28	8	75	-	40	42	18	22	-	-	TLSPZ71X3
75	1	1108	28	1	79	-	16	-	-	22	6	60	TLSPZ75X1



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE Z/SPZ

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
75	2	1210	32	8	79	-	28	51	3	25	-	-	TLSPZ75X2
75	3	1210	32	8	79	-	40	51	15	25	-	-	TLSPZ75X3
80	1	1210	32	1	84	-	16	-	-	25	9	75	TLSPZ80X1
80	2	1210	32	8	84	-	28	51	3	25	-	-	TLSPZ80X2
80	3	1210	32	8	84	-	40	51	15	25	-	-	TLSPZ80X3
80	4	1210	32	8	84	-	52	51	27	25	-	-	TLSPZ80X4
85	1	1210	32	1	89	-	16	-	-	25	9	80	TLSPZ85X1
85	2	1610	42	8	89	-	28	60	3	25	-	-	TLSPZ85X2
85	3	1610	42	8	89	-	40	60	15	25	-	-	TLSPZ85X3
85	4	1610	42	8	89	-	52	60	27	25	-	-	TLSPZ85X4
85	5	1610	42	8	89	-	64	60	39	25	-	-	TLSPZ85X5
90	1	1210	32	1	94	-	16	-	-	25	9	80	TLSPZ90X1
90	2	1610	42	8	94	-	28	61	3	25	-	-	TLSPZ90X2
90	3	1610	42	8	94	-	40	61	15	25	-	-	TLSPZ90X3
90	4	1610	42	8	94	-	52	61	27	25	-	-	TLSPZ90X4
90	5	1610	42	8	94	-	64	61	39	25	-	-	TLSPZ90X5
90	6	1610	42	8	94	-	76	61	51	25	-	-	TLSPZ90X6
95	1	1210	32	1	99	-	16	-	-	25	9	85	TLSPZ95X1
95	2	1610	42	8	99	-	28	66	3	25	-	-	TLSPZ95X2
95	3	1610	42	8	99	-	40	66	15	25	-	-	TLSPZ95X3
95	4	1610	42	8	99	-	52	66	27	25	-	-	TLSPZ95X4
95	5	1610	42	8	99	-	64	66	39	25	-	-	TLSPZ95X5
95	6	1610	42	8	99	-	76	66	51	25	-	-	TLSPZ95X6
100	1	1210	32	1	104	-	16	-	-	25	9	85	TLSPZ100X1
100	2	1610	42	8	104	-	28	71	3	25	-	-	TLSPZ100X2
100	3	1610	42	8	104	-	40	71	15	25	-	-	TLSPZ100X3
100	4	1610	42	8	104	-	52	71	27	25	-	-	TLSPZ100X4
100	5	2012	50	8	104	-	64	71	32	32	-	-	TLSPZ100X5
100	6	2012	50	8	104	-	76	71	44	32	-	-	TLSPZ100X6
106	1	1610	42	1	110	-	16	-	-	25	9	92	TLSPZ106X1
106	2	1610	42	8	110	-	28	76	3	25	-	-	TLSPZ106X2
106	3	1610	42	8	110	-	40	76	15	25	-	-	TLSPZ106X3
106	4	1610	42	8	110	-	52	76	27	25	-	-	TLSPZ106X4
106	5	2012	50	8	110	-	64	76	32	32	-	-	TLSPZ106X5
106	6	2012	50	8	110	-	76	76	44	32	-	-	TLSPZ106X6
112	1	1610	42	1	116	-	16	-	-	25	9	92	TLSPZ112X1
112	2	1610	42	8	116	-	28	83	3	25	-	-	TLSPZ112X2
112	3	2012	50	8	116	-	40	83	8	32	-	-	TLSPZ112X3
112	4	2012	50	8	116	-	52	83	20	32	-	-	TLSPZ112X4
112	5	2012	50	8	116	-	64	83	32	32	-	-	TLSPZ112X5
112	6	2012	50	8	116	-	76	83	44	32	-	-	TLSPZ112X6
118	1	1610	42	1	122	-	16	-	-	25	9	92	TLSPZ118X1
118	2	1610	42	8	122	-	28	90	3	25	-	-	TLSPZ118X2
118	3	2012	50	8	122	-	40	90	8	32	-	-	TLSPZ118X3
118	4	2012	50	8	122	-	52	90	20	32	-	-	TLSPZ118X4
118	5	2012	50	8	122	-	64	90	32	32	-	-	TLSPZ118X5



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE Z/SPZ

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
118	6	2517	60	8	122	-	76	90	31	45	-	-	TLSPZ118X6
125	1	1610	42	1	129	-	16	-	-	25	9	92	TLSPZ125X1
125	2	1610	42	8	129	-	28	96	3	25	-	-	TLSPZ125X2
125	3	2012	50	2	129	-	40	96	-	32	8	-	TLSPZ125X3
125	4	2012	50	2	129	-	52	96	-	32	20	-	TLSPZ125X4
125	5	2012	50	8	129	-	64	96	32	32	-	-	TLSPZ125X5
125	6	2517	60	8	129	-	76	96	31	45	-	-	TLSPZ125X6
132	1	1610	42	1	136	-	16	-	-	25	9	92	TLSPZ132X1
132	2	1610	42	8	136	-	28	103	3	25	-	-	TLSPZ132X2
132	3	2012	50	2	136	-	40	103	-	32	8	-	TLSPZ132X3
132	4	2012	50	2	136	-	52	103	-	32	20	-	TLSPZ132X4
132	5	2517	60	8	136	-	64	103	19	45	19	-	TLSPZ132X5
132	6	2517	60	8	136	-	76	103	31	45	-	-	TLSPZ132X6
140	1	1610	42	1	144	-	16	-	-	25	9	92	TLSPZ140X1
140	2	1610	42	8	144	-	28	111	3	25	-	-	TLSPZ140X2
140	3	2012	50	2	144	-	40	111	-	32	8	-	TLSPZ140X3
140	4	2012	50	2	144	-	52	111	-	32	20	-	TLSPZ140X4
140	5	2517	60	2	144	-	64	111	-	45	19	-	TLSPZ140X5
140	6	2517	60	2	144	-	76	111	-	45	31	-	TLSPZ140X6
140	8	2517	60	3	144	-	100	111	27,5	45	27,5	-	TLSPZ140X8
150	1	1610	42	1	154	-	16	-	-	25	9	92	TLSPZ150X1
150	2	2012	50	1	154	-	28	-	-	32	4	112	TLSPZ150X2
150	3	2012	50	2	154	-	40	121	-	32	8	-	TLSPZ150X3
150	4	2517	60	2	154	-	52	121	-	45	7	-	TLSPZ150X4
150	5	2517	60	2	154	-	64	121	-	45	19	-	TLSPZ150X5
150	6	2517	60	2	154	-	76	121	-	45	31	-	TLSPZ150X6
150	8	2517	60	3	154	-	100	121	27,5	45	27,5	-	TLSPZ150X8
160	1	1610	42	1	164	-	16	-	-	25	9	92	TLSPZ160X1
160	2	2012	50	1	164	-	28	-	-	32	4	112	TLSPZ160X2
160	3	2012	50	2	164	-	40	131	-	32	8	-	TLSPZ160X3
160	4	2517	60	2	164	-	52	131	-	45	7	-	TLSPZ160X4
160	5	2517	60	2	164	-	64	131	-	45	19	-	TLSPZ160X5
160	6	2517	60	2	164	-	76	131	-	45	31	-	TLSPZ160X6
160	8	2517	60	3	164	-	100	131	27,5	45	27,5	-	TLSPZ160X8
170	1	1610	42	1	174	-	16	-	-	25	9	92	TLSPZ170X1
170	2	2012	50	1	174	-	28	-	-	32	4	112	TLSPZ170X2
170	3	2012	50	3	174	-	40	141	4	32	4	-	TLSPZ170X3
170	4	2517	60	2	174	-	52	141	-	45	7	-	TLSPZ170X4
170	5	2517	60	2	174	-	64	141	-	45	19	-	TLSPZ170X5
170	6	2517	60	2	174	-	76	141	-	45	31	-	TLSPZ170X6
180	1	1610	42	7	184	6	16	152	-	25	9	92	TLSPZ180X1
180	2	2012	50	7	184	6	28	152	-	32	4	112	TLSPZ180X2
180	3	2012	50	6	184	7	40	151	-	32	8	106	TLSPZ180X3
180	4	2517	60	2	184	-	52	151	-	45	7	-	TLSPZ180X4
180	5	2517	60	2	184	-	64	151	-	45	19	-	TLSPZ180X5
180	6	2517	60	3	184	-	76	151	15,5	45	15,5	-	TLSPZ180X6



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE Z/SPZ

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
180	8	2517	60	3	184	-	100	151	27,5	45	27,5	-	TLSPZ180X8
190	1	1610	42	7	194	12	16	162	-	25	9	92	TLSPZ190X1
190	2	2012	50	7	194	12	28	162	-	32	4	112	TLSPZ190X2
190	3	2012	50	6	194	10	40	161	4	32	4	112	TLSPZ190X3
190	4	2517	60	3	194	-	52	161	3,5	45	3,5	-	TLSPZ190X4
190	5	2517	60	3	194	-	64	161	9,5	45	9,5	-	TLSPZ190X5
190	6	2517	60	3	194	-	76	161	15,5	45	15,5	124	TLSPZ190X6
200	1	2012	50	7	204	10	16	171	-	32	16	112	TLSPZ200X1
200	2	2012	50	7	204	6	28	171	-	32	4	112	TLSPZ200X2
200	3	2012	50	6	204	10	40	171	4	32	4	112	TLSPZ200X3
200	4	2517	60	6	204	8	52	171	3,5	45	3,5	124	TLSPZ200X4
200	5	2517	60	3	204	-	64	171	9,5	45	9,5	-	TLSPZ200X5
200	6	2517	60	3	204	-	76	171	15,5	45	15,5	124	TLSPZ200X6
200	8	3020	75	3	204	-	100	171	24,5	51	24,5	-	TLSPZ200X8
224	1	2012	50	7	228	15	16	195	-	32	16	112	TLSPZ224X1
224	2	2012	50	4	228	15	28	195	-	32	4	112	TLSPZ224X2
224	3	2012	50	6	228	12	40	195	4	32	4	112	TLSPZ224X3
224	4	2517	60	6	228	14	52	195	3,5	45	3,5	124	TLSPZ224X4
224	5	2517	60	6	228	20	64	195	9,5	45	9,5	124	TLSPZ224X5
224	6	2517	60	6	228	26	76	195	15,5	45	15,5	124	TLSPZ224X6
224	8	3020	75	3	228	-	100	195	24,5	51	24,5	-	TLSPZ224X8
250	1	2012	50	4	254	-	16	221	8	32	8	112	TLSPZ250X1
250	2	2012	50	4	254	-	28	221	2	32	2	112	TLSPZ250X2
250	3	2012	50	5	254	-	40	221	4	32	4	112	TLSPZ250X3
250	4	2517	60	6	254	12	52	221	3,5	45	3,5	124	TLSPZ250X4
250	5	2517	60	6	254	16	64	221	9,5	45	9,5	124	TLSPZ250X5
250	6	2517	60	6	254	26	76	221	15,5	45	15,5	124	TLSPZ250X6
250	8	3020	75	6	254	20	100	221	24,5	51	24,5	146	TLSPZ250X8
280	1	2012	50	4	284	-	16	251	8	32	8	112	TLSPZ280X1
280	2	2012	50	4	284	-	28	251	2	32	2	112	TLSPZ280X2
280	3	2517	60	4	284	-	40	251	2,5	45	2,5	124	TLSPZ280X3
280	4	2517	60	6	284	14	52	251	3,5	45	3,5	124	TLSPZ280X4
280	5	2517	60	6	284	15	64	251	9,5	45	9,5	124	TLSPZ280X5
280	6	2517	60	6	284	15	76	251	15,5	45	15,5	124	TLSPZ280X6
280	8	3020	75	6	284	20	100	251	24,5	51	24,5	146	TLSPZ280X8
315	1	2012	50	4	319	-	16	286	8	32	8	112	TLSPZ315X1
315	2	2012	50	4	319	-	28	286	2	32	2	112	TLSPZ315X2
315	3	2517	60	4	319	-	40	286	2,5	45	2,5	124	TLSPZ315X3
315	4	2517	60	5	319	-	52	286	3,5	45	3,5	124	TLSPZ315X4
315	5	2517	60	5	319	-	64	286	9,5	45	9,5	124	TLSPZ315X5
315	6	2517	60	6	319	15	76	286	15,5	45	15,5	124	TLSPZ315X6
355	1	2012	50	4	359	-	16	326	8	32	8	112	TLSPZ355X1
355	2	2012	50	4	359	-	28	326	2	32	2	112	TLSPZ355X2
355	3	2517	60	4	359	-	40	326	2,5	45	2,5	124	TLSPZ355X3
355	4	2517	60	5	359	-	52	326	3,5	45	3,5	124	TLSPZ355X4
355	5	2517	60	5	359	-	64	326	9,5	45	9,5	124	TLSPZ355X5



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE Z/SPZ

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
355	6	2517	60	5	359	-	76	326	15,5	45	15,5	124	TLSPZ355X6
355	8	3030	75	5	359	-	100	326	12,5	76	12,5	146	TLSPZ355X8
400	1	2012	50	4	404	-	16	371	8	32	8	112	TLSPZ400X1
400	2	2517	60	4	404	-	28	371	8,5	45	8,5	124	TLSPZ400X2
400	3	2517	60	4	404	-	40	371	2,5	45	2,5	124	TLSPZ400X3
400	4	2517	60	5	404	-	52	371	3,5	45	3,5	124	TLSPZ400X4
400	5	3020	75	5	404	-	64	371	6,5	51	6,5	146	TLSPZ400X5
400	6	3030	75	5	404	-	76	371	-	76	-	146	TLSPZ400X6
400	8	3030	75	5	404	-	100	371	12,5	76	12,5	146	TLSPZ400X8
450	1	2517	60	4	454	-	16	421	14,5	45	14,5	124	TLSPZ450X1
450	2	2517	60	4	454	-	28	421	8,5	45	8,5	124	TLSPZ450X2
450	3	2517	60	4	454	-	40	421	2,5	45	2,5	124	TLSPZ450X3
450	4	3020	75	5	454	-	52	421	0,5	51	0,5	146	TLSPZ450X4
450	5	3020	75	5	454	-	64	421	6,5	51	6,5	146	TLSPZ450X5
450	6	3030	75	5	454	-	76	421	-	76	-	146	TLSPZ450X6
450	8	3535	90	5	454	-	100	421	5,5	89	5,5	175	TLSPZ450X8
500	3	2517	60	4	504	-	40	471	2,5	45	2,5	124	TLSPZ500X3
500	4	3020	75	5	504	-	52	471	0,5	51	0,5	146	TLSPZ500X4
500	5	3030	75	4	504	-	64	471	6	76	6	146	TLSPZ500X5
500	6	3030	75	5	504	-	76	471	-	76	-	146	TLSPZ500X6
630	3	3020	75	4	634	-	40	601	5,5	51	5,5	150	TLSPZ630X3
630	4	3030	75	4	634	-	52	601	12	76	12	146	TLSPZ630X4
630	5	3030	75	4	634	-	64	601	6	76	6	146	TLSPZ630X5
630	6	3535	90	4	634	-	76	601	6,5	89	6,5	175	TLSPZ630X6
800	3	3020	75	4	804	-	40	771	5,5	51	5,5	146	TLSPZ800X3
800	4	3030	75	4	804	-	52	771	12	76	12	146	TLSPZ800X4
800	5	3535	90	4	804	-	64	771	12,5	89	12,5	178	TLSPZ800X5
800	6	3535	90	4	804	-	76	771	6,5	89	6,5	178	TLSPZ800X6

