



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK SEZIONE A/SPA



Materiale: Ghisa

P	α°	a	b	c	d	e	f	h
mm		mm	mm	mm	mm	mm	mm	mm
≤ 118	34	12.7	11.0	10.0	15.0	10.0	2.8	13.8
> 118	38							



P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
mm			mm		mm	mm	mm	mm	mm	mm	mm	mm	
63	1	1008	25	1	68,5	-	20	-	-	22	2	56	TLSPA63X1
63	2	1008	28	8	68,5	-	35	32,5	13	22	-	-	TLSPA63X2
67	1	1108	28	1	72,5	-	20	-	-	22	2	56	TLSPA67X1
67	2	1108	28	8	72,5	-	35	37	13	22	-	-	TLSPA67X2
71	1	1108	28	1	76,5	-	20	-	-	22	2	60	TLSPA71X1
71	2	1108	28	8	76,5	-	35	40	13	22	-	-	TLSPA71X2
71	3	1108	28	8	76,5	-	50	40	28	22	-	-	TLSPA71X3
75	1	1108	28	1	80,5	-	20	-	-	22	2	56	TLSPA75X1
75	2	1108	28	8	80,5	-	35	44	13	22	-	-	TLSPA75X2
75	3	1108	28	8	80,5	-	50	44	28	22	-	-	TLSPA75X3
80	1	1210	32	1	85,5	-	20	-	-	25	5	75	TLSPA80X1
80	2	1210	32	8	85,5	-	35	50	10	25	-	-	TLSPA80X2
80	3	1210	32	8	85,5	-	50	50	25	25	-	-	TLSPA80X3
80	4	1215	28	8	85,5	-	65	49	27	38	-	-	TLSPA80X4
85	1	1210	32	1	90,5	-	20	-	-	25	5	80	TLSPA85X1
85	2	1210	32	8	90,5	-	35	55	10	25	-	-	TLSPA85X2



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE A/SPA

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
85	3	1210	32	8	90,5	-	50	55	25	25	-	-	TLSPA85X3
90	1	1210	32	1	95,5	-	20	-	-	25	5	80	TLSPA90X1
90	2	1610	42	8	95,5	-	35	59	10	25	-	-	TLSPA90X2
90	3	1610	42	8	95,5	-	50	59	25	25	-	-	TLSPA90X3
90	4	1615	42	8	95,5	-	65	59	27	38	-	-	TLSPA90X4
95	1	1210	32	1	100,5	-	20	-	-	25	5	85	TLSPA95X1
95	2	1610	42	8	100,5	-	35	63	10	25	-	-	TLSPA95X2
95	3	1610	42	8	100,5	-	50	63	25	25	-	-	TLSPA95X3
95	4	1615	42	8	100,5	-	65	63	27	38	-	-	TLSPA95X4
100	1	1610	42	1	105,5	-	20	-	-	25	5	85	TLSPA100X1
100	2	1610	42	8	105,5	-	35	66	10	25	-	-	TLSPA100X2
100	3	1610	42	2	105,5	-	50	66	-	25	25	-	TLSPA100X3
100	4	1615	42	2	105,5	-	65	66	-	38	27	-	TLSPA100X4
100	5	1615	42	2	105,5	-	80	66	-	38	42	-	TLSPA100X5
100	6	1610	42	3	105,5	-	95	66	30	25	40	-	TLSPA100X6
106	1	1610	42	1	111,5	-	20	-	-	25	5	92	TLSPA106X1
106	2	1610	42	8	111,5	-	35	72	10	25	-	-	TLSPA106X2
106	3	1610	42	2	111,5	-	50	72	-	25	25	-	TLSPA106X3
106	4	2012	50	8	111,5	-	65	72	33	32	-	-	TLSPA106X4
106	5	2012	50	8	111,5	-	80	72	48	32	-	-	TLSPA106X5
106	6	2012	50	8	111,5	-	95	72	63	32	-	-	TLSPA106X6
112	1	1610	42	1	117,5	-	20	-	-	25	5	92	TLSPA112X1
112	2	1610	42	8	117,5	-	35	78	10	25	-	-	TLSPA112X2
112	3	2012	50	8	117,5	-	50	78	18	32	-	-	TLSPA112X3
112	4	2012	50	8	117,5	-	65	78	33	32	-	-	TLSPA112X4
112	5	2012	50	8	117,5	-	80	78	48	32	-	-	TLSPA112X5
112	6	2012	50	8	117,5	-	95	78	63	32	-	-	TLSPA112X6
118	1	1610	42	1	123,5	-	20	-	-	25	5	92	TLSPA118X1
118	2	1610	42	8	123,5	-	35	84	10	25	-	-	TLSPA118X2
118	3	2012	50	2	123,5	-	50	84	-	32	18	-	TLSPA118X3
118	4	2012	50	2	123,5	-	65	84	-	32	33	-	TLSPA118X4
118	5	2012	50	2	123,5	-	80	84	-	32	48	-	TLSPA118X5
118	6	2012	50	8	123,5	-	95	84	63	32	-	-	TLSPA118X6
125	1	1610	42	1	130,5	-	20	-	-	25	5	92	TLSPA125X1
125	2	1610	42	8	130,5	-	35	91	10	25	-	-	TLSPA125X2
125	3	2012	50	2	130,5	-	50	91	-	32	18	-	TLSPA125X3
125	4	2012	50	2	130,5	-	65	91	-	32	33	-	TLSPA125X4
125	5	2012	50	3	130,5	-	80	91	24	32	24	-	TLSPA125X5
125	6	2012	50	3	130,5	-	95	91	31,5	32	31,5	-	TLSPA125X6
132	1	1610	42	1	137,5	-	20	-	-	25	5	92	TLSPA132X1
132	2	2012	50	8	137,5	-	35	98	3	32	-	-	TLSPA132X2
132	3	2012	50	2	137,5	-	50	98	-	32	18	-	TLSPA132X3
132	4	2517	60	2	137,5	-	65	98	-	45	20	-	TLSPA132X4
132	5	2517	60	3	137,5	-	80	98	17,5	45	17,5	-	TLSPA132X5
132	6	2517	60	3	137,5	-	95	98	25	45	25	-	TLSPA132X6
140	1	1610	42	1	145,5	-	20	-	-	25	5	92	TLSPA140X1



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE A/SPA

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
140	2	2012	50	8	145,5	-	35	106	3	32	-	-	TLSPA140X2
140	3	2517	60	8	145,5	-	50	106	5	45	-	-	TLSPA140X3
140	4	2517	60	2	145,5	-	65	106	-	45	20	-	TLSPA140X4
140	5	2517	60	3	145,5	-	80	106	17,5	45	17,5	-	TLSPA140X5
140	6	2517	60	3	145,5	-	95	106	25	45	25	-	TLSPA140X6
150	1	1610	42	1	155,5	-	20	-	-	25	5	92	TLSPA150X1
150	2	2012	50	8	155,5	-	35	116	3	32	-	-	TLSPA150X2
150	3	2517	60	8	155,5	-	50	116	5	45	-	-	TLSPA150X3
150	4	2517	60	2	155,5	-	65	116	-	45	20	-	TLSPA150X4
150	5	2517	60	3	155,5	-	80	116	17,5	45	17,5	-	TLSPA150X5
150	6	2517	60	3	155,5	-	95	116	25	45	25	-	TLSPA150X6
160	1	1610	42	1	165,5	-	20	-	-	25	5	92	TLSPA160X1
160	2	2012	50	8	165,5	-	35	125	3	32	-	-	TLSPA160X2
160	3	2517	60	8	165,5	-	50	125	5	45	-	-	TLSPA160X3
160	4	2517	60	2	165,5	-	65	125	-	45	20	-	TLSPA160X4
160	5	2517	60	3	165,5	-	80	125	17,5	45	17,5	-	TLSPA160X5
160	6	2517	60	3	165,5	-	95	125	25	45	25	-	TLSPA160X6
170	1	1610	42	1	175,5	-	20	-	-	25	5	92	TLSPA170X1
170	2	2012	50	8	175,5	-	35	135	3	32	-	-	TLSPA170X2
170	3	2517	60	8	175,5	-	50	135	5	45	-	-	TLSPA170X3
170	4	2517	60	2	175,5	-	65	135	-	45	20	-	TLSPA170X4
170	5	2517	60	3	175,5	-	80	135	17,5	45	17,5	-	TLSPA170X5
180	1	1610	42	7	185,5	6	20	145	-	25	5	92	TLSPA180X1
180	2	2012	50	6	185,5	10	35	146	1,5	32	1,5	108	TLSPA180X2
180	3	2517	60	8	185,5	-	50	146	5	45	-	-	TLSPA180X3
180	4	2517	60	2	185,5	-	65	146	-	45	20	-	TLSPA180X4
180	5	3020	75	3	185,5	-	80	146	-	51	29	-	TLSPA180X5
180	6	3020	75	3	185,5	-	95	146	22	51	22	-	TLSPA180X6
190	1	1610	42	7	195,5	6	20	156	-	25	5	92	TLSPA190X1
190	2	2012	50	6	195,5	10	35	156	1,5	32	1,5	108	TLSPA190X2
190	3	2517	60	8	195,5	-	50	156	5	45	-	-	TLSPA190X3
190	4	2517	60	2	195,5	-	65	156	-	45	20	-	TLSPA190X4
190	5	3020	75	2	195,5	-	80	156	14,5	51	14,5	-	TLSPA190X5
200	1	2012	50	7	205,5	6	20	165	-	32	12	108	TLSPA200X1
200	2	2517	60	7	205,5	10	35	165	5	45	5	123	TLSPA200X2
200	3	2517	60	6	205,5	20	50	165	2,5	45	2,5	123	TLSPA200X3
200	4	3020	75	2	205,5	-	65	165	-	51	14	-	TLSPA200X4
200	5	3020	75	3	205,5	-	80	165	14,5	51	14,5	-	TLSPA200X5
200	6	3020	75	3	205,5	-	95	165	22	51	22	-	TLSPA200X6
212	1	2012	50	7	217,5	10	20	177	-	32	12	110	TLSPA212X1
212	2	2517	60	7	217,5	18	35	177	5	45	5	123	TLSPA212X2
212	3	2517	60	6	217,5	20	50	177	2,5	45	2,5	123	TLSPA212X3
212	4	3020	75	2	217,5	-	65	177	-	51	14	-	TLSPA212X4
212	5	3020	75	2	217,5	-	80	177	-	51	29	-	TLSPA212X5
212	6	3020	75	3	217,5	-	95	176	22	51	22	-	TLSPA212X6
224	1	2012	50	7	229,5	10	20	189	-	32	12	112	TLSPA224X1



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK

SEZIONE A/SPA

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
224	2	2517	60	7	229,5	18	35	189	-	45	10	124	TLSPA224X2
224	3	2517	60	6	229,5	20	50	189	2,5	45	2,5	124	TLSPA224X3
224	4	3020	75	2	229,5	-	65	189	-	51	14	-	TLSPA224X4
224	5	3020	75	2	229,5	-	80	189	-	51	29	-	TLSPA224X5
224	6	3020	75	3	229,5	-	95	189	22	51	22	-	TLSPA224X6
236	1	2012	50	7	241,5	10	20	202	-	32	12	112	TLSPA236X1
236	2	2517	60	7	241,5	12	35	202	-	45	10	124	TLSPA236X2
236	3	2517	60	6	241,5	20	50	202	2,5	45	2,5	124	TLSPA236X3
236	4	3020	75	6	241,5	25	65	202	-	51	14	-	TLSPA236X4
236	5	3020	75	2	241,5	-	80	202	-	51	29	-	TLSPA236X5
236	6	3020	75	3	241,5	-	95	202	22	51	22	-	TLSPA236X6
250	1	2012	50	7	255,5	10	20	215	6	32	6	112	TLSPA250X1
250	2	2517	60	7	255,5	12	35	215	5	45	5	124	TLSPA250X2
250	3	2517	60	6	255,5	20	50	215	2,5	45	2,5	124	TLSPA250X3
250	4	3020	75	6	255,5	20	65	215	7	51	7	159	TLSPA250X4
250	5	3020	75	6	255,5	20	80	215	14,5	51	14,5	159	TLSPA250X5
250	6	3020	75	6	255,5	20	95	215	22	51	22	155	TLSPA250X6
280	1	2012	50	7	285,5	10	20	245	-	32	12	112	TLSPA280X1
280	2	2517	60	7	285,5	12	35	245	-	45	10	124	TLSPA280X2
280	3	2517	60	6	285,5	20	50	245	2,5	45	2,5	124	TLSPA280X3
280	4	3020	75	6	285,5	25	65	245	7	51	7	159	TLSPA280X4
280	5	3535	90	7	285,5	25	80	245	4,5	89	4,5	175	TLSPA280X5
280	6	3535	90	6	285,5	25	95	245	3	89	3	175	TLSPA280X6
300	1	2012	50	7	305,5	12	20	265	-	32	12	112	TLSPA300X1
300	2	2517	60	7	305,5	12	35	265	-	45	10	124	TLSPA300X2
300	3	3020	75	4	305,5	-	50	265	0,5	51	0,5	146	TLSPA300X3
300	4	3020	75	6	305,5	25	65	265	7	51	7	159	TLSPA300X4
300	5	3535	90	7	305,5	25	80	265	4,5	89	4,5	175	TLSPA300X5
300	6	3535	90	6	305,5	25	95	265	3	89	3	175	TLSPA300X6
315	1	2012	50	7	320,5	12	20	280	-	32	12	112	TLSPA315X1
315	2	2517	60	7	320,5	12	35	280	-	45	10	124	TLSPA315X2
315	3	3020	75	4	320,5	-	50	280	0,5	51	0,5	159	TLSPA315X3
315	4	3020	75	6	320,5	25	65	280	7	51	7	159	TLSPA315X4
315	5	3535	90	7	320,5	25	80	280	4,5	89	4,5	175	TLSPA315X5
315	6	3535	90	6	320,5	25	95	280	3	89	3	175	TLSPA315X6
355	1	2012	50	4	360,5	-	20	320	-	32	12	112	TLSPA355X1
355	2	2517	60	4	360,5	-	35	320	-	45	10	124	TLSPA355X2
355	3	3020	75	4	360,5	-	50	320	0,5	51	0,5	159	TLSPA355X3
355	4	3020	75	5	360,5	-	65	320	7	51	7	159	TLSPA355X4
355	5	3535	90	4	360,5	-	80	320	4,5	89	4,5	175	TLSPA355X5
355	6	3535	90	5	360,5	-	95	320	3	89	3	175	TLSPA355X6
400	1	2012	50	4	405,5	-	20	365	-	32	12	112	TLSPA400X1
400	2	2517	60	4	405,5	-	35	365	-	45	10	124	TLSPA400X2
400	3	3020	75	4	405,5	-	50	365	-	51	1	159	TLSPA400X3
400	4	3020	75	5	405,5	-	65	365	7	51	7	159	TLSPA400X4
400	5	3535	90	4	405,5	-	80	365	4,5	89	4,5	175	TLSPA400X5



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK

SEZIONE A/SPA

P PRIMITIVO	N° GOLE	Bussola	Foro Max	Forma	O	E	F	J	K	L	M	N	Codice
					mm	mm	mm	mm	mm	mm	mm	mm	
400	6	3535	90	5	405,5	-	95	365	3	89	3	175	TLSPA400X6
450	1	2012	50	4	455,5	-	20	415	-	32	12	112	TLSPA450X1
450	2	2517	60	4	455,5	-	35	465	-	45	10	124	TLSPA450X2
450	3	3020	75	4	455,5	-	50	415	-	51	1	159	TLSPA450X3
450	4	3020	75	5	455,5	-	65	415	7	51	7	159	TLSPA450X4
450	5	3535	90	4	455,5	-	80	415	4,5	89	4,5	175	TLSPA450X5
450	6	3535	90	5	455,5	-	95	415	3	89	3	175	TLSPA450X6
500	1	2517	60	4	505,5	-	20	465	-	45	25	124	TLSPA500X1
500	2	2517	60	4	505,5	-	35	525	-	45	10	125	TLSPA500X2
500	3	3020	75	4	505,5	-	50	465	-	51	1	159	TLSPA500X3
500	4	3020	75	5	505,5	-	65	465	7	51	7	159	TLSPA500X4
500	5	3535	90	4	505,5	-	80	465	4,5	89	4,5	175	TLSPA500X5
500	6	3535	90	5	505,5	-	95	465	3	89	3	175	TLSPA500X6
560	3	3020	75	4	565,5	-	50	525	-	51	1	150	TLSPA560X3
560	4	3535	90	4	565,5	-	65	525	12	89	12	175	TLSPA560X4
560	5	3535	90	4	565,5	-	80	525	4,5	89	4,5	175	TLSPA560X5
560	6	3535	90	5	565,5	-	95	525	3	89	3	175	TLSPA560X6
630	1	2517	60	4	635,5	-	20	595	-	45	25	124	TLSPA630X1
630	2	3020	75	4	635,5	-	35	595	8	51	18	159	TLSPA630X2
630	3	3020	75	4	635,5	-	50	595	-	51	1	150	TLSPA630X3
630	4	3535	90	4	635,5	-	65	595	12	89	12	175	TLSPA630X4
630	5	3535	90	4	635,5	-	80	595	4,5	89	4,5	175	TLSPA630X5
630	6	4040	100	4	635,5	-	95	595	3,5	102	3,5	210	TLSPA630X6
800	3	3535	90	4	805,5	-	50	765	19,5	89	19,5	175	TLSPA800X3
800	4	3535	90	4	805,5	-	65	765	12	89	12	175	TLSPA800X4
800	5	4040	100	4	805,5	-	80	765	11	102	11	210	TLSPA800X5
800	6	4040	100	4	805,5	-	95	765	3,5	102	3,5	210	TLSPA800X6
1000	3	3535	90	4	1005,5	-	50	965	19,5	89	19,5	175	TLSPA1000X3
1000	4	4040	100	4	1005,5	-	65	965	18,5	102	18,5	210	TLSPA1000X4
1000	5	4545	110	4	1005,5	-	80	965	17	114	17	242	TLSPA1000X5
1000	6	4545	110	4	1005,5	-	95	965	9,5	114	9,5	242	TLSPA1000X6

