



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK SEZIONE B/SPB



Materiale: Ghisa

| P | α° | a | b | c | d | e | f | h |
|-------|----------------|------|------|------|------|------|-----|------|
| mm | | mm | mm | mm | mm | mm | mm | mm |
| ≤ 190 | 34 | 16.3 | 14.0 | 12.5 | 19.0 | 12.5 | 3.5 | 17.5 |
| > 190 | 38 | | | | | | | |



| P PRIMITIVO | N° GOLE | Bussola | Foro Max | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------|---------|---------|----------|-------|-----|----|----|----|----|----|----|----|------------|
| mm | | | mm | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 100 | 1 | 1610 | 42 | 1 | 107 | - | 25 | - | - | 25 | - | - | TLSPB100X1 |
| 100 | 2 | 1610 | 42 | 8 | 107 | - | 44 | 62 | 19 | 25 | - | - | TLSPB100X2 |
| 100 | 3 | 1610 | 42 | 8 | 107 | - | 63 | 62 | 38 | 25 | - | - | TLSPB100X3 |
| 100 | 4 | 1615 | 42 | 8 | 117 | - | 82 | 60 | 44 | 38 | - | - | TLSPB100X4 |
| 106 | 1 | 1610 | 42 | 1 | 113 | - | 25 | - | - | 25 | - | - | TLSPB106X1 |
| 106 | 2 | 1610 | 42 | 8 | 113 | - | 44 | 67 | 19 | 25 | - | - | TLSPB106X2 |
| 106 | 3 | 1610 | 42 | 8 | 113 | - | 63 | 67 | 38 | 25 | - | - | TLSPB106X3 |
| 112 | 1 | 1610 | 42 | 1 | 119 | - | 25 | - | - | 25 | - | - | TLSPB112X1 |
| 112 | 2 | 1610 | 42 | 8 | 119 | - | 44 | 72 | 19 | 25 | - | - | TLSPB112X2 |
| 112 | 3 | 1610 | 42 | 8 | 119 | - | 63 | 72 | 38 | 25 | - | - | TLSPB112X3 |
| 112 | 4 | 2012 | 42 | 8 | 119 | - | 82 | 72 | 50 | 32 | - | - | TLSPB112X4 |
| 118 | 1 | 1610 | 42 | 1 | 125 | - | 25 | - | - | 25 | - | - | TLSPB118X1 |
| 118 | 2 | 1610 | 42 | 2 | 125 | - | 44 | 78 | - | 25 | 19 | - | TLSPB118X2 |
| 118 | 3 | 1610 | 42 | 2 | 125 | - | 63 | 78 | - | 25 | 38 | - | TLSPB118X3 |
| 125 | 1 | 1610 | 42 | 1 | 132 | - | 25 | - | - | 25 | - | - | TLSPB125X1 |
| 125 | 2 | 2012 | 50 | 2 | 132 | - | 44 | 82 | - | 32 | 12 | - | TLSPB125X2 |



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE B/SPB

| P PRIMITIVO | N° GOLE | Bussola | Foro Max | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------|---------|---------|----------|-------|-----|----|-----|-----|------|----|------|-----|------------|
| | | | | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 125 | 3 | 2012 | 50 | 2 | 132 | - | 63 | 82 | - | 32 | 31 | - | TLSPB125X3 |
| 125 | 4 | 2012 | 50 | 3 | 132 | - | 82 | 82 | 25 | 32 | 25 | - | TLSPB125X4 |
| 125 | 5 | 2012 | 50 | 8 | 132 | - | 101 | 87 | 69 | 32 | - | - | TLSPB125X5 |
| 132 | 1 | 1610 | 42 | 1 | 139 | - | 25 | - | - | 25 | - | - | TLSPB132X1 |
| 132 | 2 | 2012 | 50 | 2 | 139 | - | 44 | 89 | - | 32 | 12 | - | TLSPB132X2 |
| 132 | 3 | 2012 | 50 | 2 | 139 | - | 63 | 89 | - | 32 | 31 | - | TLSPB132X3 |
| 132 | 4 | 2012 | 50 | 3 | 139 | - | 82 | 89 | 25 | 32 | 25 | - | TLSPB132X4 |
| 132 | 5 | 2517 | 60 | 8 | 139 | - | 101 | 94 | 56 | 45 | - | - | TLSPB132X5 |
| 140 | 1 | 1610 | 42 | 1 | 147 | - | 25 | - | - | 25 | - | - | TLSPB140X1 |
| 140 | 2 | 2012 | 50 | 2 | 147 | - | 44 | 97 | - | 32 | 12 | - | TLSPB140X2 |
| 140 | 3 | 2012 | 50 | 2 | 147 | - | 63 | 97 | - | 32 | 31 | - | TLSPB140X3 |
| 140 | 4 | 2517 | 60 | 3 | 147 | - | 82 | 100 | 18,5 | 45 | 18,5 | - | TLSPB140X4 |
| 140 | 5 | 2517 | 60 | 3 | 147 | - | 101 | 97 | 28 | 45 | 28 | - | TLSPB140X5 |
| 140 | 6 | 2517 | 60 | 3 | 147 | - | 120 | 100 | 37,5 | 45 | 37,5 | - | TLSPB140X6 |
| 140 | 8 | 2517 | 60 | 3 | 147 | - | 158 | 97 | 56,5 | 45 | 56,5 | - | TLSPB140X8 |
| 150 | 1 | 1610 | 42 | 1 | 157 | - | 25 | - | - | 25 | - | - | TLSPB150X1 |
| 150 | 2 | 2012 | 50 | 2 | 157 | - | 44 | 107 | - | 32 | 12 | - | TLSPB150X2 |
| 150 | 3 | 2517 | 60 | 2 | 157 | - | 63 | 107 | - | 45 | 18 | - | TLSPB150X3 |
| 150 | 4 | 2517 | 60 | 3 | 157 | - | 82 | 107 | 18,5 | 45 | 18,5 | - | TLSPB150X4 |
| 150 | 5 | 2517 | 60 | 3 | 157 | - | 101 | 107 | 28 | 45 | 28 | - | TLSPB150X5 |
| 150 | 6 | 2517 | 60 | 3 | 157 | - | 120 | 107 | 37,5 | 45 | 37,5 | - | TLSPB150X6 |
| 160 | 1 | 1610 | 42 | 1 | 167 | - | 25 | - | - | 25 | - | - | TLSPB160X1 |
| 160 | 2 | 2012 | 50 | 2 | 167 | - | 44 | 117 | - | 32 | 12 | - | TLSPB160X2 |
| 160 | 3 | 2517 | 60 | 2 | 167 | - | 63 | 117 | - | 45 | 18 | - | TLSPB160X3 |
| 160 | 4 | 2517 | 60 | 3 | 167 | - | 82 | 117 | 18,5 | 45 | 18,5 | - | TLSPB160X4 |
| 160 | 5 | 2517 | 60 | 3 | 167 | - | 101 | 117 | 28 | 45 | 28 | - | TLSPB160X5 |
| 160 | 6 | 3020 | 75 | 3 | 167 | - | 120 | 117 | 34,5 | 51 | 34,5 | - | TLSPB160X6 |
| 160 | 8 | 3020 | 75 | 3 | 167 | - | 158 | 117 | 53,5 | 51 | 53,5 | - | TLSPB160X8 |
| 170 | 1 | 1610 | 42 | 1 | 177 | - | 25 | - | - | 25 | - | - | TLSPB170X1 |
| 170 | 2 | 2012 | 50 | 2 | 177 | - | 44 | 127 | - | 32 | 12 | - | TLSPB170X2 |
| 170 | 3 | 2517 | 60 | 2 | 177 | - | 63 | 127 | - | 45 | 18 | - | TLSPB170X3 |
| 170 | 4 | 2517 | 60 | 3 | 177 | - | 82 | 127 | 18,5 | 45 | 18,5 | - | TLSPB170X4 |
| 170 | 5 | 3020 | 75 | 3 | 177 | - | 101 | 127 | 25 | 51 | 25 | - | TLSPB170X5 |
| 170 | 6 | 3020 | 75 | 3 | 177 | - | 120 | 127 | 34,5 | 51 | 34,5 | - | TLSPB170X6 |
| 170 | 8 | 3030 | 75 | 3 | 177 | - | 158 | 127 | 41 | 76 | 41 | - | TLSPB170X8 |
| 180 | 1 | 1610 | 42 | 6 | 187 | 15 | 25 | 132 | - | 25 | - | 90 | TLSPB180X1 |
| 180 | 2 | 2517 | 60 | 1 | 187 | - | 44 | - | - | 45 | 1 | 120 | TLSPB180X2 |
| 180 | 3 | 2517 | 60 | 2 | 187 | - | 63 | 137 | - | 45 | 18 | - | TLSPB180X3 |
| 180 | 4 | 2517 | 60 | 3 | 187 | - | 82 | 137 | 18,5 | 45 | 18,5 | - | TLSPB180X4 |
| 180 | 5 | 3020 | 75 | 3 | 187 | - | 101 | 137 | 25 | 51 | 25 | - | TLSPB180X5 |
| 180 | 6 | 3020 | 75 | 3 | 187 | - | 120 | 137 | 34,5 | 51 | 34,5 | - | TLSPB180X6 |
| 180 | 8 | 3030 | 75 | 3 | 187 | - | 158 | 137 | 41 | 76 | 41 | - | TLSPB180X8 |
| 190 | 1 | 2012 | 50 | 7 | 197 | 15 | 25 | 147 | 3,5 | 32 | 3,5 | 104 | TLSPB190X1 |
| 190 | 2 | 2517 | 60 | 1 | 197 | - | 44 | - | - | 45 | 1 | 120 | TLSPB190X2 |
| 190 | 3 | 2517 | 60 | 2 | 197 | - | 63 | 147 | - | 45 | 18 | - | TLSPB190X3 |
| 190 | 4 | 2517 | 60 | 3 | 197 | - | 82 | 147 | 18,5 | 45 | 18,5 | - | TLSPB190X4 |



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK

SEZIONE B/SPB

| P PRIMITIVO | N° GOLE | Bussola | Foro Max | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------|---------|---------|----------|-------|-----|----|-----|-----|------|----|------|-----|-------------|
| | | | | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 190 | 5 | 3020 | 75 | 3 | 197 | - | 101 | 147 | 25 | 51 | 25 | - | TLSPB190X5 |
| 190 | 6 | 3020 | 75 | 3 | 197 | - | 120 | 147 | 34,5 | 51 | 34,5 | - | TLSPB190X6 |
| 190 | 8 | 3030 | 75 | 3 | 197 | - | 158 | 147 | 41 | 76 | 41 | - | TLSPB190X8 |
| 200 | 1 | 2012 | 50 | 7 | 207 | 15 | 25 | 157 | 3,5 | 32 | 3,5 | 104 | TLSPB200X1 |
| 200 | 2 | 2517 | 60 | 1 | 207 | - | 44 | - | - | 45 | 1 | 117 | TLSPB200X2 |
| 200 | 3 | 2517 | 60 | 2 | 207 | - | 63 | 157 | - | 45 | 18 | - | TLSPB200X3 |
| 200 | 4 | 3020 | 75 | 3 | 207 | - | 82 | 157 | 15,5 | 51 | 15,5 | - | TLSPB200X4 |
| 200 | 5 | 3020 | 75 | 3 | 207 | - | 101 | 157 | 25 | 51 | 25 | - | TLSPB200X5 |
| 200 | 6 | 3020 | 75 | 3 | 207 | - | 120 | 157 | 34,5 | 51 | 34,5 | - | TLSPB200X6 |
| 200 | 8 | 3535 | 90 | 3 | 207 | - | 158 | 157 | 34,5 | 89 | 34,5 | - | TLSPB200X8 |
| 212 | 1 | 2012 | 50 | 7 | 219 | 15 | 25 | 169 | 3,5 | 32 | 3,5 | 104 | TLSPB212X1 |
| 212 | 2 | 2517 | 60 | 7 | 219 | 20 | 44 | 169 | - | 45 | 1 | 117 | TLSPB212X2 |
| 212 | 3 | 2517 | 60 | 6 | 219 | 15 | 63 | 169 | - | 45 | 18 | 117 | TLSPB212X3 |
| 212 | 4 | 3020 | 75 | 3 | 219 | - | 82 | 169 | 15,5 | 51 | 15,5 | - | TLSPB212X4 |
| 212 | 5 | 3020 | 75 | 3 | 219 | - | 101 | 169 | 25 | 51 | 25 | - | TLSPB212X5 |
| 212 | 6 | 3535 | 90 | 3 | 219 | - | 120 | 169 | 15,5 | 89 | 15,5 | - | TLSPB212X6 |
| 212 | 8 | 3535 | 90 | 3 | 219 | - | 158 | 169 | 34,5 | 89 | 34,5 | - | TLSPB212X8 |
| 224 | 1 | 2012 | 50 | 7 | 231 | 15 | 25 | 181 | 3,5 | 32 | 3,5 | 104 | TLSPB224X1 |
| 224 | 2 | 2517 | 60 | 7 | 231 | 15 | 44 | 181 | - | 45 | 1 | 117 | TLSPB224X2 |
| 224 | 3 | 2517 | 60 | 6 | 231 | 15 | 63 | 181 | - | 45 | 18 | 117 | TLSPB224X3 |
| 224 | 4 | 3020 | 75 | 3 | 231 | - | 82 | 181 | 15,5 | 51 | 15,5 | - | TLSPB224X4 |
| 224 | 5 | 3020 | 75 | 3 | 231 | - | 101 | 181 | 25 | 51 | 25 | - | TLSPB224X5 |
| 224 | 6 | 3535 | 90 | 3 | 231 | - | 120 | 181 | 15,5 | 89 | 15,5 | - | TLSPB224X6 |
| 224 | 8 | 3535 | 90 | 3 | 231 | - | 158 | 181 | 34,5 | 89 | 34,5 | - | TLSPB224X8 |
| 224 | 10 | 3535 | 90 | 3 | 231 | - | 196 | 181 | 53,5 | 89 | 53,5 | - | TLSPB224X10 |
| 236 | 1 | 2012 | 50 | 7 | 243 | 15 | 25 | 193 | 3,5 | 32 | 3,5 | 104 | TLSPB236X1 |
| 236 | 2 | 2517 | 60 | 7 | 243 | 15 | 44 | 193 | - | 45 | 1 | 117 | TLSPB236X2 |
| 236 | 3 | 2517 | 60 | 6 | 243 | 15 | 63 | 193 | - | 45 | 18 | 117 | TLSPB236X3 |
| 236 | 4 | 3020 | 75 | 3 | 243 | - | 82 | 193 | 15,5 | 51 | 15,5 | - | TLSPB236X4 |
| 236 | 5 | 3535 | 90 | 3 | 243 | - | 101 | 193 | 6 | 89 | 6 | - | TLSPB236X5 |
| 236 | 6 | 3535 | 90 | 3 | 243 | - | 120 | 193 | 15,5 | 89 | 15,5 | - | TLSPB236X6 |
| 236 | 8 | 3535 | 90 | 3 | 243 | - | 158 | 193 | 34,5 | 89 | 34,5 | - | TLSPB236X8 |
| 236 | 10 | 3535 | 90 | 3 | 243 | - | 196 | 193 | 53,5 | 89 | 53,5 | - | TLSPB236X10 |
| 250 | 1 | 2012 | 50 | 7 | 257 | 20 | 25 | 207 | 3,5 | 32 | 3,5 | 104 | TLSPB250X1 |
| 250 | 2 | 2517 | 60 | 7 | 257 | 20 | 44 | 207 | - | 45 | 1 | 125 | TLSPB250X2 |
| 250 | 3 | 3020 | 75 | 6 | 257 | 20 | 63 | 207 | - | 51 | 12 | 144 | TLSPB250X3 |
| 250 | 4 | 3020 | 75 | 6 | 257 | 25 | 82 | 207 | 15,5 | 51 | 15,5 | 144 | TLSPB250X4 |
| 250 | 5 | 3535 | 90 | 3 | 257 | - | 101 | 207 | 6 | 89 | 6 | - | TLSPB250X5 |
| 250 | 6 | 3535 | 90 | 3 | 257 | - | 120 | 207 | 15,5 | 89 | 15,5 | - | TLSPB250X6 |
| 250 | 8 | 3535 | 90 | 3 | 257 | - | 158 | 207 | 34,5 | 89 | 34,5 | - | TLSPB250X8 |
| 250 | 10 | 3535 | 90 | 3 | 257 | - | 196 | 207 | 53,5 | 89 | 53,5 | - | TLSPB250X10 |
| 280 | 1 | 2012 | 50 | 7 | 287 | 20 | 25 | 237 | 3,5 | 32 | 3,5 | 104 | TLSPB280X1 |
| 280 | 2 | 2517 | 60 | 7 | 287 | 20 | 44 | 237 | - | 45 | 1 | 125 | TLSPB280X2 |
| 280 | 3 | 3020 | 75 | 6 | 287 | 20 | 63 | 237 | 6 | 51 | 6 | 144 | TLSPB280X3 |
| 280 | 4 | 3020 | 75 | 6 | 287 | 25 | 82 | 237 | 15,5 | 51 | 15,5 | 144 | TLSPB280X4 |
| 280 | 5 | 3535 | 90 | 6 | 287 | 25 | 101 | 237 | 6 | 89 | 6 | 175 | TLSPB280X5 |



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE B/SPB

| P PRIMITIVO | N° GOLE | Bussola | Foro Max | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------|---------|---------|----------|-------|-----|----|-----|-----|------|-----|------|-----|-------------|
| | | | | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 280 | 6 | 3535 | 90 | 6 | 287 | 25 | 120 | 237 | 15,5 | 89 | 15,5 | 175 | TLSPB280X6 |
| 280 | 8 | 3535 | 90 | 6 | 287 | 25 | 158 | 237 | 34,5 | 89 | 34,5 | 175 | TLSPB280X8 |
| 280 | 10 | 3535 | 90 | 6 | 287 | 30 | 196 | 237 | 53,5 | 89 | 53,5 | 175 | TLSPB280X10 |
| 300 | 1 | 2012 | 50 | 7 | 307 | 20 | 25 | 258 | 3,5 | 32 | 3,5 | 104 | TLSPB300X1 |
| 300 | 2 | 2517 | 60 | 7 | 307 | 20 | 44 | 257 | - | 45 | 1 | 125 | TLSPB300X2 |
| 300 | 3 | 3020 | 75 | 6 | 307 | 20 | 63 | 257 | 6 | 51 | 6 | 144 | TLSPB300X3 |
| 300 | 4 | 3535 | 90 | 7 | 307 | 25 | 82 | 257 | - | 89 | 7 | 175 | TLSPB300X4 |
| 300 | 5 | 3535 | 90 | 6 | 307 | 25 | 101 | 257 | 6 | 89 | 6 | 175 | TLSPB300X5 |
| 300 | 6 | 3535 | 90 | 6 | 307 | 25 | 120 | 257 | 15,5 | 89 | 15,5 | 175 | TLSPB300X6 |
| 300 | 8 | 3535 | 90 | 6 | 307 | 25 | 158 | 257 | 34,5 | 89 | 34,5 | 175 | TLSPB300X8 |
| 315 | 1 | 2012 | 50 | 7 | 322 | 20 | 25 | 272 | 3,5 | 32 | 3,5 | 104 | TLSPB315X1 |
| 315 | 2 | 2517 | 60 | 7 | 322 | 20 | 44 | 272 | - | 45 | 1 | 125 | TLSPB315X2 |
| 315 | 3 | 3020 | 75 | 6 | 322 | 20 | 63 | 272 | 6 | 51 | 6 | 144 | TLSPB315X3 |
| 315 | 4 | 3535 | 90 | 7 | 322 | 25 | 82 | 272 | 3,5 | 89 | 3,5 | 175 | TLSPB315X4 |
| 315 | 5 | 3535 | 90 | 6 | 322 | 25 | 101 | 272 | 6 | 89 | 6 | 175 | TLSPB315X5 |
| 315 | 6 | 3535 | 90 | 6 | 322 | 25 | 120 | 272 | 15,5 | 89 | 15,5 | 175 | TLSPB315X6 |
| 315 | 8 | 3535 | 90 | 6 | 322 | 25 | 158 | 272 | 34,5 | 89 | 34,5 | 175 | TLSPB315X8 |
| 315 | 10 | 3535 | 90 | 6 | 322 | 30 | 196 | 272 | 53,5 | 89 | 53,5 | 175 | TLSPB315X10 |
| 335 | 2 | 2517 | 60 | 7 | 342 | 20 | 44 | 292 | - | 45 | 1 | 125 | TLSPB335X2 |
| 335 | 3 | 3020 | 75 | 6 | 342 | 20 | 63 | 292 | 6 | 51 | 6 | 144 | TLSPB335X3 |
| 335 | 4 | 3535 | 90 | 7 | 342 | 25 | 82 | 292 | 3,5 | 89 | 3,5 | 175 | TLSPB335X4 |
| 335 | 5 | 3535 | 90 | 6 | 342 | 25 | 101 | 292 | 6 | 89 | 6 | 175 | TLSPB335X5 |
| 335 | 6 | 3535 | 90 | 6 | 342 | 25 | 120 | 292 | 15,5 | 89 | 15,5 | 175 | TLSPB335X6 |
| 335 | 8 | 3535 | 90 | 6 | 342 | 25 | 158 | 292 | 34,5 | 89 | 34,5 | 175 | TLSPB335X8 |
| 335 | 10 | 4040 | 100 | 6 | 342 | 30 | 196 | 292 | 47 | 102 | 47 | 210 | TLSPB335X10 |
| 355 | 2 | 3020 | 75 | 7 | 362 | 15 | 44 | 312 | 3,5 | 51 | 3,5 | 144 | TLSPB355X2 |
| 355 | 3 | 3020 | 75 | 6 | 362 | 15 | 63 | 312 | 6 | 51 | 6 | 144 | TLSPB355X3 |
| 355 | 4 | 3535 | 90 | 7 | 362 | 25 | 82 | 312 | 3,5 | 89 | 3,5 | 175 | TLSPB355X4 |
| 355 | 5 | 3535 | 90 | 6 | 362 | 17 | 101 | 312 | 6 | 89 | 6 | 175 | TLSPB355X5 |
| 355 | 6 | 3535 | 90 | 6 | 362 | 25 | 120 | 312 | 15,5 | 89 | 15,5 | 175 | TLSPB355X6 |
| 355 | 8 | 3535 | 90 | 6 | 362 | 25 | 158 | 312 | 34,5 | 89 | 34,5 | 175 | TLSPB355X8 |
| 355 | 10 | 4040 | 100 | 6 | 362 | 30 | 196 | 312 | 47 | 102 | 47 | 210 | TLSPB355X10 |
| 400 | 2 | 3020 | 75 | 4 | 407 | - | 44 | 357 | 3,5 | 51 | 3,5 | 150 | TLSPB400X2 |
| 400 | 3 | 3535 | 90 | 4 | 407 | - | 63 | 357 | 13 | 89 | 13 | 175 | TLSPB400X3 |
| 400 | 4 | 3535 | 90 | 4 | 407 | - | 82 | 357 | 3,5 | 89 | 3,5 | 175 | TLSPB400X4 |
| 400 | 5 | 3535 | 90 | 5 | 407 | - | 101 | 357 | 6 | 89 | 6 | 175 | TLSPB400X5 |
| 400 | 6 | 3535 | 90 | 5 | 407 | - | 120 | 357 | 15,5 | 89 | 15,5 | 175 | TLSPB400X6 |
| 400 | 8 | 4040 | 100 | 6 | 407 | 30 | 158 | 357 | 28 | 102 | 28 | 210 | TLSPB400X8 |
| 400 | 10 | 4040 | 100 | 6 | 407 | 30 | 196 | 357 | 47 | 102 | 47 | 210 | TLSPB400X10 |
| 450 | 2 | 3020 | 75 | 4 | 457 | - | 44 | 407 | 3,5 | 51 | 3,5 | 150 | TLSPB450X2 |
| 450 | 3 | 3535 | 90 | 4 | 457 | - | 63 | 407 | - | 89 | 26 | 175 | TLSPB450X3 |
| 450 | 4 | 3535 | 90 | 4 | 457 | - | 82 | 407 | - | 89 | 7 | 175 | TLSPB450X4 |
| 450 | 5 | 3535 | 90 | 5 | 457 | - | 101 | 407 | - | 89 | 12 | 175 | TLSPB450X5 |
| 450 | 6 | 4040 | 100 | 5 | 457 | - | 120 | 407 | - | 102 | 18 | 210 | TLSPB450X6 |
| 450 | 8 | 4040 | 100 | 5 | 457 | - | 158 | 407 | 28 | 102 | 28 | 210 | TLSPB450X8 |
| 450 | 10 | 4545 | 110 | 5 | 457 | - | 196 | 407 | 41 | 114 | 41 | 242 | TLSPB450X10 |



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK

SEZIONE B/SPB

| P PRIMITIVO | N° GOLE | Bussola | Foro Max | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------|---------|---------|----------|-------|------|----|-----|------|------|-----|------|-----|--------------|
| | | | | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 500 | 2 | 3020 | 75 | 4 | 507 | - | 44 | 457 | 3,5 | 51 | 3,5 | 150 | TLSPB500X2 |
| 500 | 3 | 3535 | 90 | 4 | 507 | - | 63 | 457 | - | 89 | 26 | 175 | TLSPB500X3 |
| 500 | 4 | 3535 | 90 | 4 | 507 | - | 82 | 457 | - | 89 | 7 | 175 | TLSPB500X4 |
| 500 | 5 | 3535 | 90 | 5 | 507 | - | 101 | 457 | - | 89 | 12 | 175 | TLSPB500X5 |
| 500 | 6 | 4040 | 100 | 5 | 507 | - | 120 | 457 | - | 102 | 18 | 210 | TLSPB500X6 |
| 500 | 8 | 4040 | 100 | 5 | 507 | - | 158 | 457 | 28 | 102 | 28 | 210 | TLSPB500X8 |
| 500 | 10 | 4545 | 110 | 5 | 507 | - | 196 | 457 | 41 | 114 | 41 | 242 | TLSPB500X10 |
| 560 | 2 | 3030 | 75 | 4 | 567 | - | 44 | 517 | 4 | 76 | 28 | 150 | TLSPB560X2 |
| 560 | 3 | 3535 | 90 | 4 | 567 | - | 63 | 517 | - | 89 | 26 | 175 | TLSPB560X3 |
| 560 | 4 | 3535 | 90 | 4 | 567 | - | 82 | 517 | - | 89 | 7 | 175 | TLSPB560X4 |
| 560 | 5 | 4040 | 100 | 4 | 567 | - | 101 | 517 | - | 102 | 1 | 210 | TLSPB560X5 |
| 560 | 6 | 4040 | 100 | 5 | 567 | - | 120 | 517 | - | 102 | 18 | 210 | TLSPB560X6 |
| 560 | 8 | 4545 | 110 | 5 | 567 | - | 158 | 517 | 22 | 114 | 22 | 242 | TLSPB560X8 |
| 560 | 10 | 4545 | 110 | 5 | 567 | - | 196 | 517 | 41 | 114 | 41 | 242 | TLSPB560X10 |
| 630 | 2 | 3030 | 75 | 4 | 637 | - | 44 | 587 | 16 | 76 | 16 | 150 | TLSPB630X2 |
| 630 | 3 | 3535 | 90 | 4 | 637 | - | 63 | 587 | - | 89 | 26 | 175 | TLSPB630X3 |
| 630 | 4 | 3535 | 90 | 4 | 637 | - | 82 | 587 | - | 89 | 7 | 175 | TLSPB630X4 |
| 630 | 5 | 4040 | 100 | 4 | 637 | - | 101 | 587 | - | 102 | 1 | 210 | TLSPB630X5 |
| 630 | 6 | 4040 | 100 | 5 | 637 | - | 120 | 587 | - | 102 | 18 | 210 | TLSPB630X6 |
| 630 | 8 | 4545 | 110 | 5 | 637 | - | 158 | 587 | 22 | 114 | 22 | 242 | TLSPB630X8 |
| 630 | 10 | 4545 | 110 | 5 | 637 | - | 196 | 587 | 41 | 114 | 41 | 242 | TLSPB630X10 |
| 710 | 3 | 3535 | 90 | 4 | 717 | - | 63 | 664 | 13 | 89 | 13 | 175 | TLSPB710X3 |
| 710 | 4 | 3535 | 90 | 4 | 717 | - | 82 | 664 | 3,5 | 89 | 3,5 | 175 | TLSPB710X4 |
| 710 | 5 | 4040 | 100 | 4 | 717 | - | 101 | 664 | - | 102 | 1 | 210 | TLSPB710X5 |
| 710 | 6 | 4040 | 100 | 5 | 717 | - | 120 | 664 | 9 | 102 | 9 | 210 | TLSPB710X6 |
| 710 | 8 | 4545 | 110 | 5 | 717 | - | 158 | 664 | 22 | 114 | 22 | 242 | TLSPB710X8 |
| 710 | 10 | 4545 | 110 | 5 | 717 | - | 196 | 664 | 41 | 114 | 41 | 242 | TLSPB710X10 |
| 800 | 3 | 3535 | 90 | 4 | 807 | - | 63 | 754 | 13 | 89 | 13 | 175 | TLSPB800X3 |
| 800 | 4 | 4040 | 100 | 4 | 807 | - | 82 | 754 | 10 | 102 | 10 | 210 | TLSPB800X4 |
| 800 | 5 | 4040 | 100 | 4 | 807 | - | 101 | 754 | - | 102 | 1 | 210 | TLSPB800X5 |
| 800 | 6 | 4545 | 110 | 5 | 807 | - | 120 | 754 | 3 | 114 | 3 | 242 | TLSPB800X6 |
| 800 | 8 | 4545 | 110 | 5 | 807 | - | 158 | 754 | 22 | 114 | 22 | 242 | TLSPB800X8 |
| 800 | 10 | 4545 | 110 | 5 | 807 | - | 196 | 754 | 41 | 114 | 41 | 242 | TLSPB800X10 |
| 900 | 3 | 3535 | 90 | 4 | 907 | - | 63 | 854 | 13 | 89 | 13 | 175 | TLSPB900X3 |
| 900 | 4 | 4040 | 100 | 4 | 907 | - | 82 | 854 | 10 | 102 | 10 | 210 | TLSPB900X4 |
| 900 | 5 | 4040 | 100 | 4 | 907 | - | 101 | 854 | - | 102 | 1 | 210 | TLSPB900X5 |
| 900 | 6 | 4545 | 110 | 5 | 907 | - | 120 | 854 | 3 | 114 | 3 | 242 | TLSPB900X6 |
| 900 | 8 | 4545 | 110 | 5 | 907 | - | 158 | 854 | 22 | 114 | 22 | 242 | TLSPB900X8 |
| 900 | 10 | 5050 | 125 | 5 | 907 | - | 196 | 854 | 34,5 | 127 | 34,5 | 267 | TLSPB900X10 |
| 1000 | 3 | 4040 | 100 | 4 | 1007 | - | 63 | 954 | 19,5 | 102 | 19,5 | 210 | TLSPB1000X3 |
| 1000 | 4 | 4040 | 100 | 4 | 1007 | - | 82 | 954 | 10 | 102 | 16 | 210 | TLSPB1000X4 |
| 1000 | 5 | 4545 | 110 | 4 | 1007 | - | 101 | 954 | 6,5 | 114 | 6,5 | 242 | TLSPB1000X5 |
| 1000 | 6 | 4545 | 110 | 5 | 1007 | - | 120 | 954 | 3 | 114 | 3 | 242 | TLSPB1000X6 |
| 1000 | 8 | 5050 | 125 | 5 | 1007 | - | 158 | 954 | 15,5 | 127 | 15,5 | 267 | TLSPB1000X8 |
| 1000 | 10 | 5050 | 125 | 5 | 1007 | - | 196 | 954 | 34,5 | 127 | 34,5 | 267 | TLSPB1000X10 |
| 1250 | 3 | 4040 | 100 | 4 | 1257 | - | 63 | 1204 | 19,5 | 102 | 19,5 | 210 | TLSPB1250X3 |



PULEGGE A GOLE TRAPEZOIDALI - FORO CONICO PER BUSSOLA TAPER LOCK
SEZIONE B/SPB

| P PRIMITIVO mm | N° GOLE | Bussola | Foro Max mm | Forma | O | E | F | J | K | L | M | N | Codice |
|----------------------|---------|---------|----------------|-------|------|----|-----|------|------|-----|------|-----|-------------|
| | | | | | mm | mm | mm | mm | mm | mm | mm | mm | |
| 1250 | 4 | 4545 | 110 | 4 | 1257 | - | 82 | 1204 | 16 | 114 | 16 | 210 | TLSPB1250X4 |
| 1250 | 5 | 4545 | 110 | 4 | 1257 | - | 101 | 1204 | 6,5 | 114 | 6,5 | 242 | TLSPB1250X5 |
| 1250 | 6 | 4545 | 110 | 5 | 1257 | - | 120 | 1204 | 3 | 114 | 3 | 242 | TLSPB1250X6 |
| 1250 | 8 | 5050 | 125 | 5 | 1257 | - | 158 | 1204 | 15,5 | 127 | 15,5 | 267 | TLSPB1250X8 |

